

M. Joseph

Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet

GENERAL INFORMATION

Payer Name: M. Joseph		Date: September 20, 2011
Plan Name/Group Name: M. Joseph and Associates		BIN: 610084 PCN: DRCPMPROD = Production
Plan Name/Group Name: M. Joseph and Associates (test)		BIN: 610084 PCN: DRCPMACCP = Test (after 1/1/2012) PCN: DRCPMCM DV5S (thru 12/31/2011 for D.Ø testing)
Processor: ACS, A Xerox Company		
Effective as of: 1/1/2011		NCPDP Telecommunication Standard Version/Release #: D.Ø
NCPDP Data Dictionary Version Date: July, 2007		NCPDP External Code List Version Date: March, 2010
Contact/Information Source: Other references such as Provider Manuals, Payer phone number, web site, etc.		
Certification Testing Window: Certification not required		
Certification Contact Information: N/A		
Provider Relations Help Desk Info: 800-365-4944		
Other versions supported: 5.1 supported through 12/31/2011		

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing
B3	Rebilling

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	

Field #	Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill Payer Situation
1Ø1-A1	BIN NUMBER	610084	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1 = Billing B3 = Rebill	M	Claim Billing, Claim Rebill
1Ø4-A4	PROCESSOR CONTROL NUMBER	DRCPMPROD = Production DRCPMCM DV5S = D.Ø test DRCPMACCP = Test	M	Use DRCPMCM DV5S for D.Ø testing through 12/31/2011
1Ø9-A9	TRANSACTION COUNT	1 = One Occurrence 2 = Two Occurrences 3 = Three Occurrences 4 = Four Occurrences	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI) Ø7 = NCPDP Provider Number	M	

Transaction Header Segment			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
201-B1	SERVICE PROVIDER ID	NPI Number NCPDP Provider Number	M	
401-D1	DATE OF SERVICE	CCYYMMDD	M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	This will be provided by the provider's software vender	M	If no number is supplied, populate with zeros

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment Segment Identification (111-AM) = "04"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID	Patient's Social Security Number	M	
301-C1	GROUP ID	000822 ###	R	As indicated on ID card

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Patient Segment Segment Identification (111-AM) = "01"			Claim Billing/Claim Rebill	
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH	CCYYMMDD	R	Required field in D.0
305-C5	PATIENT GENDER CODE	0 = Not Specified 1 = Male 2 = Female	R	Required field in D.0
311-CB	PATIENT LAST NAME		R	Required field in D.0

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer does not support partial fills	X	

Claim Segment Segment Identification (111-AM) = "07"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER	Rx Number assigned by the pharmacy	M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	03 = National Drug Code	M	
407-D7	PRODUCT/SERVICE ID	National Drug Code (NDC)	M	
442-E7	QUANTITY DISPENSED	Metric Decimal Quantity	R	
403-D3	FILL NUMBER	0 = Original Dispensing 1-99 = Refill number	R	
405-D5	DAYS SUPPLY		R	
406-D6	COMPOUND CODE	1 = Not a compound 2 = Compound	R	
408-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE	0 = No Product Selection Indicated 1 = Substitution Not Allowed by Prescriber 4 = Substitution Allowed-Generic Drug Not in Stock 5 = Substitution Allowed-Generic Drug Not in Stock 7 = Substitution Not Allowed-Brand Drug Mandated by Law	R	
414-DE	DATE PRESCRIPTION WRITTEN	CCYYMMDD	R	

Claim Segment Segment Identification (111-AM) = "Ø7"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE	Ø=Not specified, default 1=No override 2=Other override 3=Vacation Supply 4=Lost Prescription 5=Therapy Change 6=Starter Dose 7=Medically Necessary 8=Process compound for Approved Ingredients 9=Encounters 99=Other	RW	Required if clarification is needed and value submitted is greater than zero (Ø).
461-EU	PRIOR AUTHORIZATION TYPE CODE	Ø= Not Specified 1= Prior Authorization 2= Medical Certification 3= EPSDT (Early Periodica Screening Diagnosis Treatment) 4= Exemption from Copay 5= Exemption from RX 6= Family Plan. Indic. 7= AFDC (Aid to Families with Dependent Children) 8= Recipient on Dialysis	RW	'2' = Med Cert 2'is the only value MJ allows.
995-E2	ROUTE OF ADMINISTRATION	SNOMED CT Values	RW	Required when the Rx is a compound New Field - replaces 452-EH in 5.1 Compound Segment SNOMED CT Values required for D.0

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Pricing Segment Segment Identification (111-AM) = "11"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	Required when there is sales tax applicable at the dispensing site.
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	Required when there is sales tax applicable at the dispensing site.
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	Required when there is sales tax applicable at the dispensing site.
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	Required when there is sales tax applicable at the dispensing site.
426-DQ	USUAL AND CUSTOMARY CHARGE		R	
43Ø-DU	GROSS AMOUNT DUE		R	

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Prescriber Segment Segment Identification (111-AM) = "Ø3"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 = National Provider Identifier (NPI) Ø8 = State License Number 12 = DEA Number	R	
411-DB	PRESCRIBER ID	NPI Number State License Number DEA Number	R	

Workers' Compensation Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Workers' Compensation Segment Segment Identification (111-AM) = "Ø6"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
434-DY	DATE OF INJURY	CCYYMMDD	M	
435-DZ	CLAIM/REFERENCE ID		RW	Required if needed to process a claim/encounter for a work related injury or condition.
117-TR	BILLING ENTITY TYPE INDICATOR		R	Required Field in D.Ø

DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is situational	X	

DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	RW	Required if DUR/PPS Segment is used.
439-E4	REASON FOR SERVICE CODE	See Attached list of valid Values	RW	Required when there is a conflict to resolve or reason for service to be explained (Max 9)
44Ø-E5	PROFESSIONAL SERVICE CODE	See Attached list of valid Values	RW	Required when there is a professional service to be identified (Max 9)
441-E6	RESULT OF SERVICE CODE	See Attached list of valid Values	RW	Required when There is a result of service to be Submitted (Max = 9).

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is situational	X	Required when billing for a compound

Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE	Ø1=Capsule Ø2=Ointment Ø3=Cream Ø4=Suppository Ø5=Powder Ø6=Emulsion Ø7=Liquid 1Ø=Tablet 11=Solution 12=Suspension 13=Lotion 14=Shampoo 15=Elixir 16=Syrup 17=Lozenge 18=Enema	M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR	1=Each 2=Grams 3=Milliliters	M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø3= National Drug Code (NDC)	M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	

**** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template****

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET TEMPLATE

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**

GENERAL INFORMATION

Payer Name: M. Joseph	Date: January 1, 2012	
Plan Name/Group Name: M. Joseph and Associates	BIN: 610084	PCN: DRCPROD = Production
Plan Name/Group Name: M. Joseph and Associates (test)	BIN: 610084	PCN: DRCPACCP = Test (after 1/1/2012) PCN: DRCPMDV5S (thru 12/31/2011 for D.O testing)

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is situational	X	Segment sent if required for clarification

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		R	Used to identify the group number used in claim adjudication.
524-FO	PLAN ID		R	Used to identify the actual plan ID that was used in claim adjudication.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER	17-digit TCN	R	
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		R	
558-AW	FLAT SALES TAX AMOUNT PAID			Imp Guide: Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement.
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	Required if this value is used to arrive at the final reimbursement. Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø).
560-AY	PERCENTAGE SALES TAX RATE PAID		RW	Imp Guide: Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	Imp Guide: Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
509-F9	TOTAL AMOUNT PAID		R	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	Required if Ingredient Cost Paid (506-F6) is greater than zero (Ø).
514-FE	REMAINING BENEFIT AMOUNT		R	Populated with zeros.
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		R	Populated with zeros.
518-FI	AMOUNT OF COPAY		R	Patient Copay
520-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		R	Populated with zeros.

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is situational	X	Sent to provide information about DUR conflicts

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	PREVIOUS DATE OF FILL	CCYYMMDD	RW	Required if needed to supply additional information for the utilization conflict.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Required if needed to supply additional information for the utilization conflict.
532-FW	DATABASE INDICATOR	1 = First DataBank – a drug database company	RW	Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Required if needed to supply additional information for the utilization conflict.

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions		Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>	
This Segment is situational		X	Segment sent if required for reject clarification	

Field #	Response Message Segment Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected <i>Payer Situation</i>
504-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions		Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>	
This Segment is always sent				
This Segment is situational				

Field #	Response Insurance Segment Segment Identification (111-AM) = "25"	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected <i>Payer Situation</i>
301-C1	GROUP ID		R	Used to identify the actual group ID used during adjudication.
524-FO	PLAN ID		R	Used to identify the actual plan ID used during adjudication.

Response Status Segment Questions		Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>	
This Segment is always sent		X		

Field #	Response Status Segment Segment Identification (111-AM) = "21"	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected <i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER	17-digit TCN	R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR			Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions		Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>	
This Segment is always sent		X		

Field #	Response Claim Segment Segment Identification (111-AM) = "22"	Value	Payer Usage	Claim Billing/Claim Rebill Accepted/Rejected <i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is situational	X	

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL	CCYYMMDD	RW	Required if needed to supply additional information for the utilization conflict.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Required if needed to supply additional information for the utilization conflict.
532-FW	DATABASE INDICATOR	1 = First DataBank – a drug database company	RW	Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Required if needed to supply additional information for the utilization conflict.

1.1.1 CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is situational	X	Segment sent if required for reject clarification

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER	17-digit TCN	RW	Required if needed to identify the transaction.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

**** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template****

Additional Claim Information

- **M = Mandatory per the NCPDP Version 5.1 Claim Format Standard. These fields must be populated in order for the claim to be processed.**
- **R = Required above the Standard. These data fields must also be populated in order to have the claim processed.**
- **RW = Required When. These fields depend on other claim information or eligibility information to determine if they are required.**
- **ACS POS Help Desk: 800-365-4944**

DUR Codes

Reason for Service Codes (439-E4): DUR Conflict Codes

Code	Meaning	Code	Meaning
AT	Additive Toxicity	LD	Low Dose Alert
CH	Call Help Desk	LR	Under Use Precaution
DA	Drug Allergy Alert	MC	Drug Disease Precaution
DC	Inferred Drug Disease Precaution	MN	Insufficient Duration Alert
DD	Drug-Drug Interaction	MX	Excessive Duration Alert
DF	Drug Food Interaction	OH	Alcohol Precaution
DI	Drug Incombatability	PA	Drug Age Precaution
DL	Drug Lab Conflict	PG	Drug Pregnancy Alert
DS	Tobacco Use Precaution	PR	Prior Adverse Drug Reaction
ER	Over Use Conflict	SE	Side Effect Alert
HD	High Dose Alert	SX	Drug Gender Alert
IC	Iatrogenic Condition Alert	TD	Therapeutic Duplication
ID	Ingredient Duplication		

Professional Service Codes (440-E5): Intervention Codes

Code	Meaning	Code	Meaning
MØ	Prescriber Consulted - MD Interface	RØ	Pharmacist Consulted Other Source - Pharmacist reviewed
PØ	Patient Consulted - patient interaction		

Result of Service Codes (441-E6): Intervention Codes

Code	Meaning	Code	Meaning
1A	Filled As Is – False Positive	1F	Filled – Different Quantity
1B	Filled Prescription As Is	1G	Filled after prescriber approval
1C	Filled With Different Dose	2A	Prescription Not Filled - Code indicating a cognitive service
1D	Filled With Different Directions	2B	Not Filled, Directions Clarified