

# Maryland Kidney Disease Program (KDP)

## Request Claim Reversal Payer Sheet

\*\* Start of Request Claim Reversal (B2) Payer Sheet Template\*\*

### GENERAL INFORMATION

Payer Name: Maryland Medical Assistance Program	Date: January 1, 2012	
Plan Name/Group Name: Maryland Kidney Disease Program (KDP)	BIN: 610084	PCN: DRKDPROD = Production
Plan Name/Group Name: Maryland Kidney Disease Program (KDP) (test)	BIN: 610084	PCN: DRKDACCP = Test

### FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Question	Answer
What is your reversal window? (If transaction is billed today what is the timeframe for reversal to be submitted?)	183 days

### CLAIM REVERSAL TRANSACTION

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Not used	X	

Field #	Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Reversal Payer Situation
101-A1	BIN NUMBER	610084	M	
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
104-A4	PROCESSOR CONTROL NUMBER	DRKDPROD = Production DRKDACCP = Test.	M	
109-A9	TRANSACTION COUNT	1 = One Occurrence	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	01 = National Provider Identifier (NPI).	M	
201-B1	SERVICE PROVIDER ID	NPI Number	M	
401-D1	DATE OF SERVICE	CCYYMMDD	M	
110-AK	SOFTWAREVENDOR/CERTIFICATION ID	This will be provided by the provider's software vender	M	If no number is supplied, populate with zeros

Insurance Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

Field #	Insurance Segment Segment Identification (111-AM) = "04"	Value	Payer Usage	Claim Reversal Payer Situation
302-C2	CARDHOLDER ID	Recipient's MDKDP ID Number	M	MD KDP ID + 5 leading zeros (11 digit number)
301-C1	GROUP ID	MDKDP	R	

Claim Segment Questions	Check	Claim Reversal If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Claim Segment Segment Identification (111-AM) = "Ø7"	Value	Payer Usage	Claim Reversal Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RX Billing	M	For Transaction Code of "B2", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER	Number assigned by pharmacy	M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Ø3 = NDC	M	
4Ø7-D7	PRODUCT/SERVICE ID	NDC Number	M	
4Ø3-D3	FILL NUMBER	Ø = Original Dispensing 1-99 = Number of refills	R	
3Ø8-C8	OTHER COVERAGE CODE	Ø=Not Specified 1=No other Coverage Identified 2=Other coverage exists-payment collected 3=Other coverage exists-this claim not covered 4=Other coverage exists-payment not collected	RW	Required when submitting a claim for a recipient who has other coverage.

\*\* End of Request Claim Reversal (B2) Payer Sheet Template\*\*

## RESPONSE CLAIM REVERSAL PAYER SHEET TEMPLATE CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

\*\* Start of Claim Reversal Response (B2) Payer Sheet Template\*\*

### GENERAL INFORMATION

Payer Name: Maryland Medical Assistance Program	Date: January 1, 2Ø12	
Plan Name/Group Name: Maryland Kidney Disease Program (KDP)	BIN: 61ØØ84	PCN: DRKDPROD = Production
Plan Name/Group Name: Maryland Kidney Disease Program (KDP) (test)	BIN: 61ØØ84	PCN: DRKDACCP = Test

### CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment	Value	Payer Usage	Claim Reversal – Accepted/Approved Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	
1Ø9-A9	TRANSACTION COUNT	1 = One Occurrence	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI).	M	
2Ø1-B1	SERVICE PROVIDER ID	NPI Number	M	
4Ø1-D1	DATE OF SERVICE	CCYYMMDD	M	

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Status Segment Segment Identification (111-AM) = "21"	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS		A = Approved	M	
503-F3	AUTHORIZATION NUMBER		17-digit MD TCN	R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR			RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT		Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER			RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION			RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY			RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Claim Segment Segment Identification (111-AM) = "22"	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		1 = RxBilling	M	For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		Number assigned by the pharmacy	M	

## CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER		DØ	M	
103-A3	TRANSACTION CODE		B2	M	
109-A9	TRANSACTION COUNT		1 = One Occurrence	M	
501-F1	HEADER RESPONSE STATUS		A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		Ø1 = National Provider Identifier (NPI).	M	
201-B1	SERVICE PROVIDER ID		NPI Number	M	
401-D1	DATE OF SERVICE		CCYYMMDD	M	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is situational	X	Segment sent if required for reject clarification

Response Message Segment Segment Identification (111-AM) = "20"	Check	Claim Reversal – Accepted/Approved

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions		Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent		X		
Response Status Segment Segment Identification (111-AM) = "21"				Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions		Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent		X		
Response Claim Segment Segment Identification (111-AM) = "22"				Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER	Number assigned by the pharmacy	M	

## CLAIM REVERSAL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment <i>NCPDP Field Name</i>	Value	<i>Payer Usage</i>	Claim Reversal – Rejected/Rejected <i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	1 = One Occurrence	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI).	M	
201-B1	SERVICE PROVIDER ID	NPI Number	M	
401-D1	DATE OF SERVICE	CCYYMMDD	M	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is situational	X	Used if necessary to elaborate on Header level rejects.

Field #	Response Message Segment Segment Identification (111-AM) = “2Ø” <i>NCPDP Field Name</i>	Value	<i>Payer Usage</i>	Claim Reversal – Accepted/Approved <i>Payer Situation</i>
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

Field #	Response Status Segment Segment Identification (111-AM) = “21” <i>NCPDP Field Name</i>	Value	<i>Payer Usage</i>	Claim Reversal – Rejected/Rejected <i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

\*\* End of Claim Reversal (B2) Response Payer Sheet Template\*\*