

NCPDP PAYER SHEET TEMPLATE

** Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**

GENERAL INFORMATION

Payer Name: Montana Medicaid		Date: January 1, 2012	
Plan Name/Group Name: Montana Medicaid/Montana Mental Health Services (MHSP)		BIN: 610084	PCN: DRMTPROD = Production
Plan Name/Group Name: Montana Medicaid/Montana Mental Health Services (MHSP) (test)		BIN: 610084	PCN: DRMTACCP = Test (after 1/1/2012) PCN: DRMTDV5S (thru 12/31/2011 for D.Ø testing)
Processor: ACS, a Xerox Company			
Effective as of: January 1, 2012		NCPDP Telecommunication Standard Version/Release #: D.Ø	
NCPDP Data Dictionary Version Date: July 2007		NCPDP External Code List Version Date: September 2010	
Contact/Information Source: Other references such as Provider Manuals, Payer phone number, web site, etc.			
Certification Testing Window: Certification Testing Dates			
Certification Contact Information: Certification phone number and information			
Provider Relations Help Desk Info: 1-800-365-4944			
Other versions supported: 5.1 supported through 12/31/2011			

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing Transaction
B3	Rebill

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used		

Field #	Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill Payer Situation
101-A1	BIN NUMBER	610084	M	
102-A2	VERSION/RELEASE NUMBER	DØ	M	Version Supported
103-A3	TRANSACTION CODE	B1, B3	M	What type of transaction is being sent
104-A4	PROCESSOR CONTROL NUMBER	DRMTPROD = Production DRMTDV5S = DØ Test DRMTACCP = Test	M	Use DRMTDV5S for D.Ø testing through 12/31/2011
109-A9	TRANSACTION COUNT	1 = One Occurrence 2 = Two Occurrences 3 = Three Occurrences 4 = Four Occurrences	M	Count of transactions in the transmission.

Transaction Header Segment				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
202-B2	SERVICE PROVIDER ID QUALIFIER	01 = National Provider Identifier (NPI)	M	NPI mandatory 05/23/2008
201-B1	SERVICE PROVIDER ID	NPI Number	M	NPI mandatory 05/23/2008
401-D1	DATE OF SERVICE	CCYYMMDD	M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	This will be provided by the provider's software vendor	M	If no number is supplied, populate with zeros

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment Segment Identification (111-AM) = "04"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID	Use client's 9-digit ID number	M	
301-C1	GROUP ID	For Medicaid use 1509040 For MHSP use 0064206420	R	

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Patient Segment Segment Identification (111-AM) = "01"				Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		R	
305-C5	PATIENT GENDER CODE		R	
311-CB	PATIENT LAST NAME		R	
335-2C	PREGNANCY INDICATOR	Blank = Not Specified 1 = Not pregnant 2 = Pregnant	RW	Required when submitting a claim for a pregnant member

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills	X	

Claim Segment Segment Identification (111-AM) = "07"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	Number assigned by the pharmacy
436-E1	PRODUCT/SERVICE ID QUALIFIER	03 = National Drug Code	M	
407-D7	PRODUCT/SERVICE ID	NDC Number	M	
456-EN	ASSOCIATED PRESCRIPTION/SERVICE REFERENCE NUMBER		RW	Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)). Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription.
457-EP	ASSOCIATED PRESCRIPTION/SERVICE DATE		RW	Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)). Required if Associated Prescription/Service Reference Number (456-EN) is used.

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription.
442-E7	QUANTITY DISPENSED	Metric Decimal Quantity	R	
4Ø3-D3	FILL NUMBER	Ø= Original Dispensing 1-99 = Number of refills	R	
4Ø5-D5	DAYS SUPPLY		R	There is a maximum of a 34 day supply allowed for MT providers
4Ø6-D6	COMPOUND CODE	Ø = Not specified 1= Not a compound 2 = Compound	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE	1= Substitution Not Allowed by Prescriber 5 = Substitution Allowed - Brand Drug Dispensed as a Generic 7= Substitution Not Allowed - Brand Drug Mandated by Law	R	
414-DE	DATE PRESCRIPTION WRITTEN	CCYYMMDD	R	
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE	8 = Process compound for Approved Ingredients	RW	Provider may submit when submitting a claim for a multi-line compound that includes a non-covered ingredient. Montana only uses Valid Value '8'
3Ø8-C8	OTHER COVERAGE CODE	Ø=Not Specified 1=No other Coverage Identified 2=Other coverage exists-payment collected 3=Other coverage exists-this claim not covered 4=Other coverage exists-payment not collected 8=Claim is a billing for a copay	R	Values 5, 6, 7 and 8 are not allowed in D.0
429-DT	SPECIAL PACKAGING INDICATOR	Ø=Not specified 1=Not Unit Dose 2=Manufacturer Unit Dose 3=Pharmacy Unit Dose	RW	'3' required when in house unit dose
461-EU	PRIOR AUTHORIZATION TYPE CODE	4=Exemption from Copay 8=Payer Defined Exemption	RW	'4' is used for co-pay exemptions '8' can be use for up to a 3 day emergency supply
343-HD	DISPENSING STATUS	P = Partial Fill C = Completion Fill	RW	Required for the partial fill or the completion fill of a prescription.
344-HF	QUANTITY INTENDED TO BE DISPENSED		RW	Required for the partial fill or the completion fill of a prescription.
345-HG	DAYS SUPPLY INTENDED TO BE DISPENSED		RW	Required for the partial fill or the completion fill of a prescription.
995-E2	ROUTE OF ADMINISTRATION	Buccal = 54471007 Dental = 372449004 Inhalation = 112239003 Injection = 385218009 Intraperitoneal = 38239002 Irrigation = 47056001 Mouth/Throat = 26643008 Mucous Membrane = 419874009 Nasal = 46713006 Ophthalmic = 54485002 Oral = 26643006 Otic = 10547007 Perfusion = C444364 Rectal = 37161004 Sublingual = 37839007 Topical = 419464001 Transdermal = 372464004 Translingual = 37839007	RW	Required when the Rx is a compound New Field - replaces 452-EH in 5.1 Compound Segment SNOMED CT Values required for D.0

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
		Vaginal = 16857009 Enteral = 417985001 Urethral = 90028008		

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
4Ø9-D9	INGREDIENT COST SUBMITTED		R	Required in D.0
412-DC	DISPENSING FEE SUBMITTED		RW	Required if needed to balance claim
426-DQ	USUAL AND CUSTOMARY CHARGE		R	
43Ø-DU	GROSS AMOUNT DUE		R	Required in D.0

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 = National Provider Identifier 12 = Drug Enforcement Administration (DEA)	R	Required if Prescriber ID (411-DB) is used.
411-DB	PRESCRIBER ID	NPI Number DEA Number	R	

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is situational	X	Required only for secondary, tertiary, etc claims.
Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)	X	

If the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the Coordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart, and delete the other scenario methods with their segment charts. See section [Coordination of Benefits \(COB\) Processing](#) for more information.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
				Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	Count of other payment occurrences (1, 2, etc.)
338-5C	OTHER PAYER COVERAGE TYPE	Blank = Not Specified Ø1 = Primary Ø2 = Secondary Ø3 = Tertiary	M Repeating)	Code identifying the type of 'Other Payer ID' (34Ø-7C).
443-E8	OTHER PAYER DATE	CCYYMMDD	RW	Required when there is payment from another source
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	Required if Other Payer Amount Paid Qualifier (342-HC) is used.
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER	Ø1=Delivery	RW	Required when there is payment from another

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		Ø2=Shipping Ø3=Postage Ø4=Administrative Ø5=Incentive Ø6=Cognitive Service Ø7=Drug Benefit Ø9=Compound Preparation Cost 1Ø=Sales Tax	(Repeating)	source Values Blank, Ø8, 98 and 99 are not allowed in D.0
431-DV	OTHER PAYER AMOUNT PAID	\$\$\$\$\$cc	RW	Required when there is payment from another source
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Other Payer Reject Code (472-6E) is used. <i>Payer Requirement:</i> Required if OCC = 3
472-6E	OTHER PAYER REJECT CODE		RW	<i>Imp Guide:</i> Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered).
353-NR	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used.
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER	Pass-through of what was returned from prior payer	RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount (352-NQ) is used. <i>Payer Requirement:</i> Use to indicate patient responsibility amount when 308-C8 = 2 or 4
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		RW	Required when Other Coverage Code 308-C8 = 2 or 4

DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is situational	X	

DUR/PPS Segment Segment Identification (111-AM) = "Ø8"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	M	Required when submitting this segment
439-E4	REASON FOR SERVICE CODE	See Attached list of valid values	RW	Required when there is a conflict to resolve or reason for service to be explained.
44Ø-E5	PROFESSIONAL SERVICE CODE	See Attached list of valid values	RW	Required when there is a professional service to be identified.
441-E6	RESULT OF SERVICE CODE	See Attached list of valid values	RW	Required when There is a result of service to be submitted.

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is situational	X	

Compound Segment Segment Identification (111-AM) = "1Ø"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE	Ø1=Capsule Ø2=Ointment Ø3=Cream Ø4=Suppository Ø5=Powder Ø6=Emulsion Ø7=Liquid 1Ø=Tablet 11=Solution 12=Suspension 13=Lotion 14=Shampoo 15=Elixir 16=Syrup 17=Lozenge 18=Enema	M	Dosage form of the complete compound mixture.
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR	1=Each 2=Grams 3=Milliliters	M	NCPDP standard product billing codes
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M (Repeating)	Count of compound product IDs (both active and inactive) in the compound mixture submitted.
488-RE	COMPOUND PRODUCT ID QUALIFIER		M (Repeating)	
489-TE	COMPOUND PRODUCT ID		M (Repeating)	
448-ED	COMPOUND INGREDIENT QUANTITY		M (Repeating)	

** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template**

GENERAL INFORMATION

Payer Name: Montana Medicaid	Date: January 1, 2012	
Plan Name/Group Name: Montana Medicaid	BIN: 610084	PCN: DRMTPROD = Production
Plan Name/Group Name: Montana Medicaid (test)	BIN: 610084	PCN: DRMTACCP = Test (after 1/1/2012) PCN: DRMTDV5S (thru 12/31/2011 for D.Ø testing)

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is situational	X	Segment sent if required for clarification

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		R	Used to identify the group number used in claim adjudication.
524-FO	PLAN ID		R	Used to identify the actual plan ID that was used in claim adjudication.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER	17-digit TCN	R	
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Field #	NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Field #	NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		R	
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		R	Populated with zeros
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
509-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	Required if Ingredient Cost Paid (506-F6) is greater than zero (Ø).
514-FE	REMAINING BENEFIT AMOUNT		R	Populated with zeros.
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		R	Populated with zeros.
518-FI	AMOUNT OF COPAY		R	Patient Copay
520-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		R	Populated with zeros.

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is situational	X	Sent to provide information about DUR conflicts

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	PREVIOUS DATE OF FILL	CCYYMMDD	RW	Required if needed to supply additional information for the utilization conflict.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Required if needed to supply additional information for the utilization conflict.
532-FW	DATABASE INDICATOR	1 = First DataBank – a drug database company	RW	Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Required if needed to supply additional information for the utilization conflict.

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is situational	X	Segment sent if required for reject clarification

	Response Message Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational		

Response Insurance Segment Segment Identification (111-AM) = "25"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		R	Used to identify the actual group ID used during adjudication.
524-FO	PLAN ID		R	Used to identify the actual plan ID used during adjudication.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = "21"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER	17-digit TCN	R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR			Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = "22"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is situational	X	

Response DUR/PPS Segment Segment Identification (111-AM) = "24"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
530-FU	PREVIOUS DATE OF FILL	CCYYMMDD	RW	Required if needed to supply additional information for the utilization conflict.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Required if needed to supply additional information for the utilization conflict.
532-FW	DATABASE INDICATOR	1 = First DataBank – a drug database company	RW	Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Required if needed to supply additional information for the utilization conflict.

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment				Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is situational	X	Segment sent if required for reject clarification

Response Message Segment Segment Identification (111-AM) = "20"				Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE	Text Message	RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = "21"				Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER	17-digit TCN	RW	Required if needed to identify the transaction.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.

**** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template****